



TECHNOLOGY YOU CAN TRUST

A Product of
ADITECH INFOTECH PVT. LTD.

JustLook Client

Technical Specification

| Model No | JL-Client |
|--|--|
| Type of License | Subscription |
| Live Face Detection | Available |
| Online Service | Available |
| Identification Speed | 8 Lakh faces per sec |
| Duration of Subscription (in months) | 12 |
| Licensing policy | Per Named User |
| Number of licensing included in the offered product | 2 |
| Maximum user handling capability | NA |
| Scope of Installation | Installation, Integration , Configuration, User Acceptance Testing of offered product |
| The offered product has support for | Unlimited updation for Patches and Bug fixes within maintenance & support period. , Unlimited upgradation of version within support period |
| Number of Months for OEM support for updation (Patches and Bug fixes | 36 |
| Number of Months for support for Upgradation of version is included in the scope of supply | 36 |
| Number of days Training Provided | 2 |
| Maximum Face Template Size (in KB) | 2.3 KB |
| Face Detection Time for one Face in milli second | 20 |
| Verification Time for One Face in milli second | 20 |

| | |
|---|---|
| Enrollment Time for one face in milli second | 30 |
| Face Matching Speed from the database per Second (in lakhs) | 8 |
| Range of distance from the camera for face recognition (In ft) | 3 to 6 ft |
| Features | <ul style="list-style-type: none"> • Only Live Face Recognition and do not recognise proxy images • Re-enrolment of a face Indication Panel for Employee Presence • Unlimited Transaction from the database • Unlimited templates per Person • Direct database Search • Customizable Categorization of Employees into group types etc • Live head count statistics • Blacklisting Feature to avoid entry of unauthorized person • Customizable Dynamic Shifts Management. <ul style="list-style-type: none"> • Overtime Management of employee • Management of Anomaly / missed punches • Restriction on time allowed to employees/persons • Integration with door lock or any other access control equipment • Any changes in the appearance will not affect the face matching process • Provision to integrate with another biometric device • Server Client Data Centralisations Provision for customizable Intranet supported web portal <ul style="list-style-type: none"> • Integration with the existing application • Similarity Level Adjustment (1-180) for face Recognition. • Provision for Back-Up/Restore System • Import employee data of active directory. • Provision of Configurable False considering the factor of Similarity of faces. • Provision of Configurable False Rejection Rate considering Camera Type, • Light Condition etc. |
| Type of Device used for Facial Recognition | Web camera [No Infrared Rays Camera] |
| Warranty for Face Recognition Device | 5 years |
| Local storage Capacity | Unlimited (depend on computer hard disk) |